




LUMIA

UPVC PROFILE



📞 +91 9980063411 / +91 80-22582632

🌐 lumiaupvc.com

📍 #1804, Goodlife Enterprises, 13th Cross,
1st sector HSR, Bengaluru 560102



Introduction

Lumia is a leading manufacturer, distributor, and retailer of German-engineered UPVC profiles, committed to delivering superior quality and innovative solutions to the construction industry. We have established ourselves as the go-to source for premium UPVC profiles that combine German engineering precision with exceptional durability and energy efficiency. Our extensive distribution network ensures that quality UPVC solutions are accessible across the region, supported by expert technical guidance and unmatched customer service.



Why Us?



Multiple Series & Colors

Wide range of profiles series available for creating windows and doors as per architectural requirements.



German Engineering

Lumia profiles are designed with precision and quality, ensuring durability and performance.



Soundproof

Lumia profiles are designed to minimize noise pollution, providing a quieter and more comfortable indoor environment.



Strong Couplers

Lumia profiles are designed with strong couplers, ensuring a secure and durable connection between frames and sashes.



Lead free & 100% recyclable

Lumia profiles are 100% lead-free & recyclable. They contribute to a sustainable future.



Energy Efficient

Lumia profiles are designed to keep the cool air in and the hot air out, maximizing energy efficiency and comfort.



Termite & Corrosion Resistance

Lumia profiles are designed to resist termites and corrosion, ensuring longevity and durability.



Durability

Lumia profiles are designed for long-lasting performance, resisting wear and tear over time.

WHY UPVC?



Now the future demand greener and more sustainable choices!

With UPVC, you are choosing sustainability and an intelligent, futuristic approach. uPVC is more cost-efficient and gives excellent thermal insulation to make it more energy-efficient than wood or aluminum. In addition, unlike other materials, it retains its shape in all weather conditions. As a result, it serves as a perfect choice for your windows, doors, and frames with remarkable durability and excellent eco-balance.

UPVC Benefits



ACOUSTIC PROOF



WEATHER RESISTANCE



IMPACT RESISTANCE



DURABILITY



THERMAL STABILITY




DIMENSIONAL STABILITY




MAINTENANCE FREE




Exclusive Color Range



Lumia
Milky white



Lumia
Ivory



Lumia
Black



Lumia
Golden Oak



Lumia
Dark Oak



Lumia
Mahogany




Lumia
Walnut



60 Sliding Series


Frames



60 Sliding Frame

CODE: T60K
WEIGHT (KG/M): 1.02
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1.8


Sash Mullion



60/88 Sash Mullion


CODE: T60/88S2T
WEIGHT (KG/M): 0.66/0.75
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 1.8

Sliding Sash



60/88 Sliding Sash (A)


CODE: T60/88S (A)
WEIGHT (KG/M): 0.83/0.86
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 1.8



60/88 Sliding Sash (E)

CODE: T60/88S (E)
WEIGHT (KG/M): 1.01/1.05
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.5


Weather Strip



60/88 Weather Strip

CODE: T60/88FG
WEIGHT (KG/M): 0.21
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:


Cover



60/88 Cover (D)

CODE: T60/88GM (D)
WEIGHT (KG/M): 0.275
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:

Beads



60/88 Sliding Single Glazing Bead

CODE: T60/88DY
WEIGHT (KG/M): 0.2/0.22
LENGTH: 5.8-6.0m
PCS/BAG: 25
THICKNESS:




88 Sliding Double Glazing Bead

CODE: T88SY
WEIGHT (KG/M): 0.12/0.16
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




60 Sliding Double Glazing Bead

CODE: T60SY
WEIGHT (KG/M): 0.13/0.17
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




80 Sliding Series

Frames



80 Sliding Frame


CODE: T80K
WEIGHT (KG/M): 1.12
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1.9



80 Sliding Frame (H)

CODE: T80K (H)
WEIGHT (KG/M): 1.25
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2


Sliding Sash



80 Sliding Sash (A)

CODE: T80S (A)
WEIGHT (KG/M): 0.73/0.76
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 1.8


Sash Mullion



80 Sash Mullion

CODE: T80SQT
WEIGHT (KG/M): 0.58/0.62
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 1.7


Weather Strip



80 Weather Strip

CODE: T80FG
WEIGHT (KG/M): 0.2
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:


Cover



80 Cover


CODE: T80GM
WEIGHT (KG/M): 0.26
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:

Insect Screen




75/80 Insect Screen (B)

CODE: T75/80SS (B)
WEIGHT (KG/M): 0.48
LENGTH: 5.8-6.0m
PCS/BAG: 12
THICKNESS:




80/88 Insect Screen

CODE: T80/88SS
WEIGHT (KG/M): 0.58
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS:



75/80 Insect Screen Mullion (B)

CODE: T75/80SQT (B)
WEIGHT (KG/M): 0.38
LENGTH: 5.8-6.0m
PCS/BAG: 12
THICKNESS:



80 Sliding Series

Beads



80 Sliding Single Glazing Bead

CODE: T80DY
WEIGHT (KG/M): 0.15/0.19
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:




80 Sliding Double Glazing Bead-1

CODE: T80SY1
WEIGHT (KG/M): 0.1/0.14
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




80 Sliding Double Glazing Bead

CODE: T80SY
WEIGHT (KG/M): 0.11/0.15
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




75/80 Sliding Single Verticle Bead (J)

CODE: T75/80DZY (J)
WEIGHT (KG/M): 0.22/0.26
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




80 Vertical Strip (J)

CODE: T80ZB(J)
WEIGHT (KG/M): 0.23/0.27
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




75/80 Sliding Double Verticle Bead (J)-1

CODE: T75/80SZY (J)-1
WEIGHT (KG/M): 0.19/0.23
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




75/80 Sliding Double Verticle Bead (J)

CODE: T75/80SZY(J)
WEIGHT (KG/M): 0.17/0.21
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:



88 Sliding Series


Frames



88 Sliding Frame (D)

CODE: T88K(D)
WEIGHT (KG/M): 1.31
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2


Insect Screen



88 Insect Screen


CODE: T88SS
WEIGHT (KG/M): 0.48
LENGTH: 5.8-6.0m
PCS/BAG: 12
THICKNESS:

Weather Strip




60/88 Weather Strip (D)

CODE: T60/88FG (D)
WEIGHT (KG/M): 0.21
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




60/88 Sliding Sash (D)

CODE: T60/88S (D)
WEIGHT (KG/M): 0.92/0.96
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 2.2



88 Sliding Double Glazing Bead


CODE: T88SY
WEIGHT (KG/M): 0.12/0.16
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:



80 Sliding Double Glazing Bead-1

CODE: T80SY-1
WEIGHT (KG/M): 0.1/0.14
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:


Sash Mullion



60/88 Sash Mullion (D)

CODE: T60/88S2T (D)
WEIGHT (KG/M): 0.74/0.82
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 2.2


Cover



60/88 Cover (D)

CODE: T60/88GM (D)
WEIGHT (KG/M): 0.275
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:

Sliding Sash



88 Sliding Sash (D)


CODE: T88S (D)
WEIGHT (KG/M): 0.82/0.86
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 2.2

Beads




60 Sliding Double Glazing Bead

CODE: T60SY
WEIGHT (KG/M): 0.13/0.17
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:



80 Sliding Double Glazing Bead

CODE: T80SY
WEIGHT (KG/M): 0.11/0.15
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




80 Sliding Single Glazing Bead

CODE: T80DY
WEIGHT (KG/M): 0.15/0.19
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:

99 sliding series


Frames



99Sliding Frame

CODE: T99K
WEIGHT (KG/M): 1.45
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.1


Insect Screen



75/80Insect Screen (B)

CODE: T75/80SS (B)
WEIGHT (KG/M): 0.48
LENGTH: 5.8-6.0m
PCS/BAG: 12
THICKNESS: 1.7


Sash Mullion



80Sash Mullion

CODE: T80SQT
WEIGHT (KG/M): 0.58/0.62
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 1.7


Weather Strip



80Weather Strip

CODE: T80FG
WEIGHT (KG/M): 0.2
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 1.7


Cover



80Cover T


CODE: T80GM
WEIGHT (KG/M): 0.26
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 1.7

Sliding Sash




80Sliding Sash (A)

CODE: T80S(A)
WEIGHT (KG/M): 0.73/0.76
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 1.7




80Sliding Sash (B)

CODE: T80S (B)
WEIGHT (KG/M): 0.66/0.68
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 1.8




80Sliding Sash (E)

CODE: T80S (E)
WEIGHT (KG/M): 0.83/0.87
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 1.9



110 sliding series


Frames



110 Sliding Frame (B)

CODE: T110K (B)
WEIGHT (KG/M): 1.67
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5


Sash Mullion



60/88 Sash Mullion (X)


CODE: T60/88SXT (X)
WEIGHT (KG/M): 0.9/0.98
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 2.8

Weather Strip



60/88 Weather Strip (D)


CODE: T60/88FG (D)
WEIGHT (KG/M): 0.21
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 2.5



60/88 Weather Strip (D)

CODE: T60/88FG (D)
WEIGHT (KG/M): 0.21
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 2.5


Sliding Sash



60/88 Sliding Sash (E)

CODE: T60/88S (E)
WEIGHT (KG/M): 1.01/1.05
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.5


Cover



60/88 Cover (D)


CODE: T60/88GM (D)
WEIGHT (KG/M): 0.275
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 2.5

Bead



88 Sliding Single Glazing Bead (D)

CODE: T88DY (D)
WEIGHT (KG/M): 0.2/0.24
LENGTH: 5.8-6.0m
PCS/BAG: 25
THICKNESS: 2.5




88 Sliding Double Glazing Bead

CODE: T88SY
WEIGHT (KG/M): 0.12/0.16
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS: 2.5




80 Sliding Double Glazing Bead

CODE: T80SY
WEIGHT (KG/M): 0.11/0.15
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS: 2.5




60 casement Series

Window system




60Casement Frame (E)

CODE: P60K (E)
WEIGHT (KG/M): 0.98/1.02
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2




60Casement Mullion (E)

CODE: P60ZT (E)
WEIGHT (KG/M): 1.03/1.11
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2




601Inswing Sash (A)

CODE: P60NKCS (A)
WEIGHT (KG/M): 1.05/1.14
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2



600utswing Sash

CODE: P60WKCS
WEIGHT (KG/M): 1.05/1.14
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.9



60Casement Single Glazing Bead


CODE: P60DY
WEIGHT (KG/M): 0.24/0.28
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:



60Casement Double Glazing Bead (C)


CODE: P60SY (C)
WEIGHT (KG/M): 0.185/0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:

Door system




60Casement Frame (E)

CODE: P60K (E)
WEIGHT (KG/M): 0.98/1.02
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2




60Casement Mullion (E)

CODE: P60ZT (E)
WEIGHT (KG/M): 1.03/1.11
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2




601Inward Door Sash (C)

CODE: P60NKMS (C)
WEIGHT (KG/M): 1.49/1.57
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2




600outward Door Sash

CODE: P60WKMS
WEIGHT (KG/M): 1.38/1.46
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2



60Casement Single Glazing Bead


CODE: P60DY
WEIGHT (KG/M): 0.24/0.28
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:



60Casement Double Glazing Bead (C)


CODE: P60SY (C)
WEIGHT (KG/M): 0.185/0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:

Door panels



15X100 Door Panel


CODE: 15X100MB
WEIGHT (KG/M): 0.42
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS:



20X150 Door Panel (A)

CODE: 20X150MB (A)
WEIGHT (KG/M): 0.96
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS:

Auxiliary series




Jalousie Window Vane

CODE: BY
WEIGHT (KG/M): 0.16
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:




Jalousie Window Vane-3

CODE: BY-3
WEIGHT (KG/M): 0.20
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




Louver Bead

CODE: BYYT
WEIGHT (KG/M): 0.26
LENGTH: 5.8-6.0m
PCS/BAG: 18
THICKNESS:




60 Casement Insect Screen

CODE: P60SS
WEIGHT (KG/M): 0.47
LENGTH: 5.8-6.0m
PCS/BAG: 16
THICKNESS:




20 Decoration Strip

CODE: 20ZST
WEIGHT (KG/M): 0.1
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




30 Decoration Strip

CODE: 30ZST
WEIGHT (KG/M): 0.152
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




20 Decoration Strip

CODE: 12X20ZST
WEIGHT (KG/M): 0.13
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




601 Inswing Mullion

CODE: P60NKFT
WEIGHT (KG/M): 0.7
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS:




Window Board

CODE: CTB
WEIGHT (KG/M): 0.72
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS:



Spare Parts

60Bay Tube Socket




CODE: 60GZ
WEIGHT (KG/M): 0.5
LENGTH: 5.8-6.0m
PCS/BAG: 16
THICKNESS:

60Bay Tube




CODE: 60YG
WEIGHT (KG/M): 0.52
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS:

60Corner Profile (90°)




CODE: 60ZJ (90°)
WEIGHT (KG/M): 0.62
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:

88Corner Profile (90°)




CODE: 88ZJ (90°)
WEIGHT (KG/M): 0.97
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:

80/60Corner Profile (90°)




CODE: 80/60ZJ (90°)
WEIGHT (KG/M): 0.77
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:

88/60Corner Profile (90°)




CODE: 88/60ZJ (90°)
WEIGHT (KG/M): 0.75
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:

80Corner Profile (90°)




CODE: 80ZJ (90°)
WEIGHT (KG/M): 0.9
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:

80/60Actionpanel




CODE: 80/60PT
WEIGHT (KG/M): 0.28
LENGTH: 5.8-6.0m
PCS/BAG: 25
THICKNESS:

88/60Actionpanel




CODE: 88/60PT
WEIGHT (KG/M): 0.31
LENGTH: 5.8-6.0m
PCS/BAG: 25
THICKNESS:

110/60Actionpanel



CODE: 110/60PT
WEIGHT (KG/M): 0.37
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:

60Frame Connecting Profile



CODE: 60PG
WEIGHT (KG/M): 0.56
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS:




60Corner Profile (90°)

CODE: 60FZJ (90°)
WEIGHT (KG/M): 0.69
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:



BUSINESS PROPOSAL

ENHANCING CUSTOMER ENGAGEMENT & LOYALTY



+91 9980063411 / +91 80-22582632

lumiaupvc.com

#1804, Goodlife Enterprises, 13th Cross,
1st sector HSR, Bengaluru 560102